



TITAN®

ELECTRIC AIRLESS



A professional painter in a white protective suit, mask, and cap is using a spray gun to paint a ceiling. The painter is holding a red hose connected to the spray gun. The background shows a room with a door and some pipes.

OUR MISSION

When your business depends on the tools you use,
you need to be able to count on the people who make them.

Our relentless commitment to helping every professional painter
be their best leads to better work, improved ROI and growing business.

T



TITAN®

ELECTRIC AIRLESS



■ Titan 440
30th Anniversary
Edition

04 IMPACT® SERIES

Titan airless paint sprayers that offer the innovation and dependability a contractor needs to perform tough jobs.

14 POWRTWIN™ SERIES

Sprayers with a well-earned reputation for durability and dependability for serious contractors.

18 FINE FINISH SPRAYERS

Renowned in the industry for delivering beautiful finishes quickly, easily and dependably—every time.

20 TEXTURE SPRAYER

Titan's PowrTex™ 1200SF is the most affordable airless texture sprayer on the market.

22 SPRAYER SPECS

Compare Titan's electric airless offering and make sure you get the perfect pump for you and your jobs.



CONNECTOR APP

In a matter of seconds you can get information about airless paint, coating and HVLP sprayers, what coatings you can spray with your sprayer or get a recommendation for a new sprayer.

AVAILABLE FOR DOWNLOAD TODAY.

For more information visit theconnectorapp.com



Titan Tool

1770 Fernbrook Lane
Minneapolis, MN 55447

Visit us on the web:

titantool.com

Call Tech Services:

1-800-526-5362

Fax 1-800-528-4826

IMPACT® SERIES

These high-performance and heavy-duty electric airless paint sprayers are designed for sustained operation on a wide variety of projects, from a single room in a house to a warehouse or manufacturing facility. The Impact Series electric airless sprayers are durable with jobsite features that keep contractors spraying.



MAXIMIZE YOUR INVESTMENT WITH THE IMPACT SERIES.

Business is demanding and you need the kind of performance you get from Titan sprayers. It's time to invest in the expanded features and performance that will make a major IMPACT on your profit margin.



Quad+ Packings™ / Permalife™ Cylinder

No wearable cylinder and self-adjusting/self-compensating packings deliver the longest life and lowest repair costs in the industry.



Field Serviceable

Whether you are replacing the entire fluid section or the packings only, it's fast and easy with the T-slot piston and modular design.



DigiTrac™ Integrated Digital Display

Advanced diagnostics, set and actual working pressure readings, resettable gallon and run time counter and more.

Available on Impact models 640, 840 and 1040.



Sureflo™ Pusher Valve

Primes the first time, every time. Unstick the lower ball valve with a push of a button. No need for a hammer.

Available on the Impact 440–640 models.



AutoOiler™

Deliver oil from the reservoir to the packings with the push of a button.

Available on the Impact 440–1140 models.



EasyOut™ Fluid Section

T-slot piston and release mechanism makes removal fast and easy.

Available on the Impact 1140 only.

IMPACT® 400

0.47 GPM

Recommended for small and medium residential and commercial projects.

Features:

Quad+ Packings

Heavy-Duty Stand

Rugged, larger tubing.

Heavy-Duty, Die Cast Aluminum Housing

Durable Rugged Feet

Extra traction and stability.

Additional Accessories



1.25 Gallon Hopper 704-453

Ideally suited to handle small amounts of paints and lacquers. Easy to clean and makes quick color changes possible.

Sureflo™ Pusher Valve

0532924 (Skid), 0532925 (High Rider)

Filter Plug 0532357

Ability to remove pump filter for heavier coatings.



The Impact 400 comes with LX-80® Gun, 517 TR® Reversible Tip and 1/4" x 50' Airless Hose.



Impact® 400

When it comes to getting powerful performance at an affordable price, nothing comes close to the Impact 400. Perfectly suited for residential, property maintenance and small commercial applications, the Impact 400 applies all lacquers, stains, standard primers, paints and architectural coatings with ease.

	Impact 400
SPECIFICATIONS	
Max. Delivery	0.47 GPM
Max. Tip Size	0.021"
Max. Operating Pressure	3000 PSI
Motor	3/4 HP
WEIGHT	
Skid Frame	27 lbs.
High Rider	50 lbs.
CONFIGURATIONS	
	PART NO.
Skid	0532000
High Rider	0532001

Impact® 400
High Rider



IMPACT® 440

0.54 GPM

Recommended for small and medium residential and commercial projects.

Features:

Quad+ Packings

Sureflo™ Pusher Valve

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

AutoOiler™

Full-Sized Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip.

No Wearable Cylinder

Extra Deep Holster

Keeps strainer in liquid to keep pump moist.




Titan 440 30th Anniversary Edition

Step up to the #1 selling sprayer in the industry, the Titan 440! The Titan 440 is ideally suited for residential, property maintenance and small commercial applications. This high performance electric airless sprayer will apply all standard architectural primers, paints and coatings efficiently.

Impact 440	
SPECIFICATIONS	
Max. Delivery	0.54 GPM
Max. Tip Size	0.023"
Max. Operating Pressure	3300 PSI
Motor	7/8 HP, DCX Motor
WEIGHT	
Skid Frame	37 lbs.
High Rider	65 lbs.
Low Rider	57 lbs.
CONFIGURATIONS	PART NO.
Skid	805-000
High Rider	805-016
Low Rider	805-019

Impact® 440
High Rider



Impact® 440
Low Rider



The Impact 440 comes with LX-80® Gun, 517 TR® Reversible Tip and 1/4" x 50' Airless Hose.

IMPACT® 540

0.60 GPM

Recommended for small and medium residential and commercial projects.

Features:

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

Quad+ Packings

Sureflo™ Pusher Valve

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

Full-Sized Manifold Filter


Filter handles more paint, preventing abrasives from reaching the gun tip.

AutoOiler™

Extra Deep Holster

Keeps strainer in liquid to keep pump moist.

No Wearable Cylinder



Impact® 540
Low Rider



The Impact 540 comes with LX-80® Gun, 517 TR® Reversible Tip and 1/4" x 50' Airless Hose.



Impact® 540

The Impact 540 is a step-up performer designed for more extended use in residential, municipal, property maintenance, and small commercial applications where a greater degree of performance is required on a steady and consistent basis.

	Impact 540	Impact 640
SPECIFICATIONS		
Max. Delivery	0.60 GPM	0.70 GPM
Max. Tip Size	0.024"	0.027"
Max. Operating Pressure	3300 PSI	3300 PSI
Motor	1.2 HP	1.55 HP
WEIGHT		
Skid Frame	38 lbs.	38 lbs.
High Rider	65 lbs.	65 lbs.
Low Rider	57 lbs.	57 lbs.
CONFIGURATIONS		
	PART NO.	PART NO.
Skid	805-001	805-002
High Rider	805-006	805-004
Low Rider	805-003	805-005



Impact® 640

The Impact 640 continues the climb to increased performance. This mid-range unit is perfect for residential, property maintenance, rental, and light commercial applications and is equipped with digital technology for improved efficiency.

Digitrac™ Integrated Digital Display

Includes anti-theft lock to protect your investment.

- Advanced diagnostics
- Set pressure and actual working pressure readings
- Resettable gallon and run time counter
- Programmable service time (hour meter)

IMPACT® 640

0.70 GPM

Recommended for small and medium residential and commercial projects.

Features:

DigiTrac™ Integrated Digital Display

(See inset below).

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

Quad+ Packings

Sureflo™ Pusher Valve

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

No Wearable Cylinder

Full-Sized Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip.

AutoOiler™

Extra Deep Holster

Impact® 640 ►
Low Rider



► The Impact 640 comes with LX-80® Gun, 517 TR® Reversible Tip and 1/4" x 50' Airless Hose.

IMPACT® 740

0.80 GPM

Recommended for medium and some large residential, commercial and industrial projects.

Features:

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

Electronic Pressure Control

Consistent pressure. Zero deadband.

Quad+ Packings

AutoOiler™

Fast Removable Fluid Section

T-slot piston and coarse thread make removal fast.

Telescoping Handle



Easy-Load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)

Hose Wrap

Holds up to 150-feet of airless hose.



Both the Impact 740 and 840 come with LX-80® Gun, 517 TR® Reversible Tip and 1/4" x 50' Airless Hose.



Impact® 740

The Impact 740 is designed for extended, heavy-duty performance on larger residential and commercial projects. This is the sprayer contractors turn to when the time comes to enter the big leagues.

	Impact 740	Impact 840
SPECIFICATIONS		
Max. Delivery	0.80 GPM	1.00 GPM
Max. Tip Size (1 Gun)	0.029"	0.032"
(2 Guns)	0.017"	0.021"
Max. Operating Pressure	3300 PSI	3300 PSI
Motor	2.0 HP	2.3 HP
WEIGHT		
High Rider	83 lbs.	83 lbs.
Low Rider	81 lbs.	81 lbs.
CONFIGURATIONS		
	PART NO.	PART NO.
High Rider	805-007	805-009
Low Rider	805-008	805-010



Impact® 840

The Impact 840 is a sprayer with more features and versatility for a greater variety of large residential, commercial – and even industrial – applications. This is the sprayer contractors turn to when the time comes to expand their business to tackle major projects.

Fast Removal Fluid Section

T-slot piston and coarse thread make removal fast and easy.

Available on Impact models 740–840.



IMPACT® 840

1.00 GPM

Recommended for medium and some large residential, commercial and industrial projects.

Features:

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

DigiTrac™ Integrated Digital Display

Includes anti-theft lock to protect your investment.

- Advanced diagnostics
- Set pressure and actual working pressure readings
- Resettable gallon and run time counter
- Programmable service time (hour meter)

Quad+ Packings

Fast Removable Fluid Section

T-slot piston and coarse thread make removal fast.

Easy-Load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)



Impact® 840
Low Rider

Hose Wrap

Holds up to 150-feet of airless hose.

Electronic Pressure Control

Consistent pressure. Zero deadband.

Telescoping Handle

Large Pneumatic Tires

IMPACT® 1040

1.15 GPM

Recommended for applications using up to 2 guns in large residential, commercial and industrial projects.

Features:

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

Electronic Pressure Control

Consistent pressure. Zero deadband.

Quad+ Packings

AutoOiler™

Fast Removable Fluid Section

T-slot piston and coarse thread make removal fast.

Telescoping Handle

Easy-Load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)

Hose Wrap

Holds up to 150-feet of airless hose.

Large Pneumatic Tires



Both the Impact 1040 and 1140 come with LX-80® Gun, 517 TR® Reversible Tip and 1/4" x 50' Airless Hose.



Impact® 1040

For big projects requiring large tip sizes or more than one spray gun operating from a single unit, you can rely on the power and performance of the Impact 1040. This workhorse is perfect for large residential, commercial and industrial applications where speed and power are necessary to get the job done faster and with greater efficiency.

	Impact 1040	Impact 1140
SPECIFICATIONS		
Max. Delivery	1.15 GPM	1.20 GPM
Max. Tip Size (1 Gun)	0.033"	0.034"
(2 Guns)	0.022"	0.023"
Max. Operating Pressure	3300 PSI	3300 PSI
Motor	2.5 HP	2.6 HP
WEIGHT		
High Rider	98 lbs.	103 lbs.
Low Rider	----	100 lbs.
CONFIGURATIONS		
	PART NO.	PART NO.
High Rider	0552600	805-011
Low Rider	----	805-012



Impact® 1140

This fully featured sprayer offers the ultimate in functionality and convenience for the longest days and biggest projects. Capable of supporting the largest tip sizes and multiple guns, you can rely on the power and performance of the Impact 1140. It's perfect for large residential, commercial and industrial applications where speed and power are necessary.

EasyOut™ Fluid Section

T-slot piston and release mechanism makes removal fast and easy.

Available only on the Impact 1140.



2. Detach quick release hoses.



1. Tilt back.



3. Pull handle under body. Slide out fluid section.

IMPACT® 1140

1.20 GPM

Recommended for applications using up to 2 guns in large residential, commercial and industrial projects.

Features:

DuraLife™ Brushless HE Motor

Optimized for every tip size and every painter's technique.

DigiTrac™ Integrated Digital Display

Quad+ Packings

AutoOiler™

EasyOut™ Fluid Section

(See inset below).

Telescoping Handle

Easy-Tilt Cart



Easy-Load Cart (high rider model only)

Large Pneumatic Tires

Impact® 1140 ▀
Low Rider



POWRTWIN™ SERIES

Since their introduction almost half a century ago, Titan PowrTwin hydraulic piston sprayers have a well-earned reputation for durability and dependability among serious contractors for large scale residential, commercial and industrial applications and multi-gun usage.



THE SPRAYERS OF CHOICE FOR SERIOUS CONTRACTORS WITH LARGE-SCALE JOBS.

These high-performance, heavy-duty paint sprayers use long-stroke, slow-cycling hydraulic piston technology for economical operation and dependable, long-term spraying.



Gas Convertibility

Easily convert from Electric to Gas power. No tools required.



Belt Guard

Easy access for converting from electric to gas power.



Speeflo® HydraDrive™

Smooth, slow-stroking hydraulic drive provides extreme power and reliability.

Available on PowrTwin 6900 Plus and 8900 Plus.



Severe Service™ 900 Pump

Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life 150% over competitive pumps. And self-adjusting packings resist over-tightening and help prevent premature wear.

POWRTWIN™ 6900/8900 PLUS

1.25 GPM

Recommended for
heavy coatings (indoors).

Features:

Slow and Long Stroking Hydraulic Piston

Maximizes fluid section life.

Accutrol™ Pressure Control

From 400 to 3300 PSI

SpeeFlo® HydraDrive™

Severe Service™ 900 Pump

Easy-Remove Filter

Only 3 turns to remove.

Easy-Access Belt Guard

For converting from gas to electric.

Convenient Pail Hook



■ The 8900 Plus Comes with S-5 Gun, 517 TR¹
Reversible Tip and 1/4" x 50' Airless Hose.



■ PowrTwin
6900 Plus
3" Stroke

PowrTwin ■
8900 Plus
4" Stroke

PowrTwin™ 6900 Plus

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. PowrTwin 6900 Plus is ideal for professionals who want the slow-stroking power and long-term durability only Titan hydraulic piston sprayers offer.

PowrTwin™ 8900 Plus

A step up for projects that require greater power and output, the PowrTwin 8900 Plus is our best-selling hydraulic piston sprayer, favored by contractors who want to complete large application jobs in record time with high profit margins. Finally a portable sprayer that can handle new construction all the way up to protective coatings.

PowrTwin™ 6900 Plus DI ■

Get the added strength of the PowrTwin 6900 Plus DI's submersed foot valve and slow stroking hydraulic piston. It's the most powerful portable sprayer on the market today. The PowrTwin DI Series decreases power loss during intake, thus increasing efficiency. It's also built to hook up multiple guns and is capable of applying thick coatings such as joint compound and elastomerics.

Direct Immersion Design for Ultra-Heavy Coatings

PowrTwin DI Plus Hydraulic Airless Paint Sprayers

The choice for serious contractors. Titan's PowrTwin DI Plus models are designed to minimize the distance between the inlet valve and heavy, high-solids coatings, enabling more efficient sprayer operation with less strain on the pump.

- Apply texture, architectural primers and finishes with the same sprayer
- Sprays ultra-heavy coatings including joint compound, high solid coatings, block filler, elastomerics and intumescent
- Spray splatter, orange peel and heavy knockdown textures with optional **Splatter Nozzle** (765-360)
- Siphon ultra-heavy coatings without starving the sprayer
- Pump cleans out faster, with less water or solvent
- Better weight distribution, lower center of gravity and large pneumatic tires for ease of transportation



PowrTwin 6900 Plus DI Electric
3" Stroke

	PowrTwin 6900 Plus Electric	PowrTwin 8900 Plus Electric	PowrTwin 6900 Plus DI Electric
SPECIFICATIONS			
Max. Delivery	1.25 GPM	1.25 GPM	1.25 GPM
Max. Tip Size (1 Gun)	.036"	.036"	.036"
(2 Guns)	.026"	.026"	.026"
Max. Operating Pressure	3300 PSI	3300 PSI	3300 PSI
Engine	2.0 HP	2.0 HP	2.0 HP
CONFIGURATIONS			
	PART NO.	PART NO.	PART NO.
Electric	0290028	0290027	0290029

POWRTWIN™ 6900 PLUS DI

1.25 GPM

Recommended for heavy coatings (indoors).

Features:

Submerged Foot Valve

Eliminates all pressure loss.

Slow-Stroking Hydraulic Piston

Maximizes fluid section life.

Accurate Pressure

From 400 to 3300 PSI

Easy Convertability

Convert to gas or electric power without any tools.

E-Z Swing Frame

Allows for less spillage during paint changes and lower height of unit for easy transportation.



■ The 6900 Plus and 6900 Plus DI come with S-3 Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

FINE FINISHING SPRAYERS

There will always be projects where speed trumps transfer efficiency and yet a fine finish is still the ultimate goal. Even the best HVLP sprayer can't compete with the speed of an air-assisted airless unit and for those jobs where production speed is essential, contractors and finishing professionals turn to the power and precision of Titan airless and air-assisted sprayers.

Features:

Airless Power

Atomizes the heaviest coatings without thinning. Maintains perfect spray patterns with no spitting or spattering.

Versatile

Apply a wide range of coating materials. From the thinnest stains and lacquers to interior and exterior latex primers and paints.

Intelligent Design

Compact, simple and lightweight—these units are easy to use, easy to transport and easy to store.



AirCoat™

Two systems in one! Uses low airless fluid pressure in the air-assisted mode to deliver ultra fine atomization with higher transfer efficiency. The airless mode uses high pressure to spray interior and exterior paints. Atomize all fine finish coatings at lower pressure for great control.

Also includes suction set for pumping directly from 5 gallon bucket.

Comes with GM3600 Gun with Flat Tip Assembly and 9/20 Brilliant Tip, 1/4" x 50' Bonded Fluid and Air Hose, 5' Fluid Whip and 5' Air Whip.



ED 655 Plus

The ED 655 is a compact, lightweight, dedicated finishing system that's easy to use, easy to transport and, most importantly, dependable. For those projects and the contractors who tackle them, we designed the Titan ED 655 Plus.

Comes with G-10XL Gun, 412 Fine Finish Tip, 1/4" x 50' Airless Hose and 3/16" x 3' Airless Whip Hose.



MultiFinish™ 440

The MultiFinish 440 is the highest performing Air Assisted unit available. It combines quiet operation and air cap pressure for the finest atomization possible. The MultiFinish sprays nearly all coatings with little to no reduction.

Comes with GM3600 Gun, SC-6+ Reversible Tip, 1/4" x 50' Bonded Fluid and Air Hose, 5' Fluid Whip and 5' Air Whip.

	AirCoat	ED 655 Plus	MultiFinish 440
SPECIFICATIONS			
Max. Delivery	0.35 GPM	0.35 GPM	0.54 GPM
Max. Tip Size	0.017"	0.017"	0.023"
Max. Operating Pressure	2800 PSI	2800 PSI	3300 PSI
Max. Air Pressure	35 PSI	----	35 PSI
Motor	1/2 HP, TEFC	1/2 HP, TEFC	7/8 HP PMDC
Fluid and Air Hose Length	50' with 5' Whip	50' with 3' Whip	50' with 5' Whip
Weight	56 lbs.	27 lbs.	90 lbs.
CONFIGURATIONS			
	PART NO.	PART NO.	PART NO.
	0508074A	0508090	0524029

Accessories:



GM 3600 AA Gun with Reversible Tip Guard 0524357

Design offers ergonomic comfort and a reversible tip system without sacrificing finish quality. Comes with a G-10 style filter and works with all standard reversible airless and fine finish tips.

Reversible flat tips are available.
AirCap and tips sold separately.



GM 3600 AA Gun with Flat Tip Guard 0524358

Includes a 9/20 flat tip.

Red/Clear 50-foot Bonded Hose 0524333

TEXTURE SPRAYER

Titan's PowrTex 1200SF is recommended for steady use by painting, drywall and texture contractors who apply paint and non-aggregate finishes




Features:

Texture products can be sprayed either in ready-mix or powdered formulations.

Sprays Multiple Coatings

- Skim Coat
- Level 5 Finish
- Drywall Mud
- Architectural Primers
- Finish-Quality Paints
- Ready-Mix or Mix On Site Materials

Textures:



Use of included Splatter Nozzle and user supplied air compressor are necessary for creating textured finishes.





PowrTex™ 1200SF

The PowrTex 1200SF is the lightest, most affordable airless texture sprayer on the market today. It's designed to run both ready-mix and powdered texture products. And Titan's exclusive fluid section design eliminates the need for a wearable cylinder.

PowrTex 1200SF	
SPECIFICATIONS	
Max. Delivery	1.20 GPM
Max. Tip Size	0.034"
Max. Operating Pressure	3300 PSI
Motor	2.4 HP Electric
Fluid and Air Hose Length	50'
Weight	95 lbs.
CONFIGURATIONS	PART NO.
	600-150

POWRTEX™ 1200SF

1.20 GPM

Recommended for painting drywall and non-aggregate finishes.

Features:

Submersible Inlet Valve

Ceramic balls are used for smooth, uninterrupted application of joint compound and other abra-xive, heavy-bodied coatings.

2.4 HP Infinity Plus® Brushless DC Motor

Never wears. Never needs replacing.

Wearable Cylinder is Eliminated

With the exclusive fluid section design.

Automatic Speed Adjustment

Adapts to the tip size, allowing the pump to run slower – downtime and repair costs are minimized and packing life is increased by 3 times.

Full-Sized Manifold Filter

For airless paint spraying.

Full, Variable-Speed Pressure Control

Eliminates pressure fluctuations at any pressure setting.

Large Pneumatic Tires

Hose Wrap

Holds up to 150-feet of airless hose.











The PowrTex 1200SF comes with S-3 Gun, Splatter Nozzle, (2) SC-6+ Reversible Tips, 3/8" x 50' Airless Hose and 1/4" x 5' Airless Whip Hose

THE CONTRACTOR CHOICE FOR ELECTRIC AIRLESS PAINT SPRAYERS



	Impact 400	Impact 440	Impact 540	Impact 640	Impact 740	Impact 840	Impact 1040
Part Number - Skid	0532000	805-000	805-001	805-002	----	----	----
Part Number - High Rider	0532001	805-016	805-006	805-004	805-007	805-009	0552600
Part Number - Low Rider	----	805-019	805-003	805-005	805-008	805-010	----
Max Delivery (GPM)	0.47 (1.78 LPM)	0.54 (2.05 LPM)	0.60 (2.28 LPM)	0.70 (2.65 LPM)	0.80 (3.03 LPM)	1.00 (3.79 LPM)	1.15 (4.36 LPM)
Max Tip Size, 1-Gun	0.021"	0.023"	0.024"	0.027"	0.029"	0.032"	0.033"
Max Tip Size, 2-Guns	----	----	----	----	0.017"	0.021"	0.022"
Max Tip Size, 3-Guns	----	----	----	----	----	----	----
Max Tip Size, 4-Guns	----	----	----	----	----	----	----
Max. Operating Pressure (PSI)	3000 (20.7 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)
Electric Motor	3/4 HP	7/8 HP, DCX	1.2 HP DuraLife Brushless HE DC	1.55 HP DuraLife Brushless HE DC	2.0 HP DuraLife Brushless HE DC	2.3 HP DuraLife Brushless HE DC	2.5 HP DuraLife Brushless HE DC
Max. Hose Length	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)
Max. Cord Length	200' (60 m)	200' (60 m)	200' (60 m)	200' (60 m)	300' (90 m)	300' (90 m)	300' (90 m)
Power Cord Length - Skid	6' (2 m)	9' (3 m)	9' (3 m)	9' (3 m)	----	----	----
Power Cord Length - Cart	6' (2 m)	9' (3 m)	15' (5 m)	15' (5 m)	15' (5 m)	15' (5 m)	15' (5 m)
Tires - High Rider	10" Semi-Pneumatic	10" Semi-Pneumatic	10" Semi-Pneumatic	10" Semi-Pneumatic	10" Semi-Pneumatic	12" Pneumatic	12" Pneumatic
Tires - Low Rider	----	8" Semi-Pneumatic	8" Semi-Pneumatic	8" Semi-Pneumatic	10" Pneumatic	10" Pneumatic	----
Weight - Skid (lbs)	27	42	42	42	----	----	----
Weight - Cart (lbs)	50	69	69	69	87	87	98
Gun Included	LX-80 ^{II}	LX-80 ^{II}	LX-80 ^{II}	LX-80 ^{II}	LX-80 ^{II}	LX-80 ^{II}	LX-80 ^{II}
Reversible Tip Included	517	517	517	517	517	517	517
Airless Hose Included	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'
Repair Kit - Pump	0532911	704-586	704-586	704-586	800-273	800-273	800-273
Manifold Filter - Pump	540-030	730-067	730-067	730-067	730-067	730-067	730-067
Repair Kit - Gun	580-034	580-034	580-034	580-034	580-034	580-034	580-034

							
Impact 1140	PowrTwin 6900 Plus	PowrTwin 8900 Plus	PowrTwin 6900 Plus DI	AirCoat	ED 655 Plus	MultiFinish 440	PowrTex 1200SF
----	----	----	----	----	0508090	----	----
805-011	----	----	----	----	----	0524029	600-150
805-012	0290028	0290027	0290029	0508074A	----	----	----
1.20 (4.55 LPM)	1.25 (4.74 LPM)	1.25 (4.74 LPM)	1.25 (4.74 LPM)	0.35 (1.33 LPM)	0.38 (1.44 LPM)	0.54 (2.05 LPM)	1.20 (4.55 LPM)
0.034"	0.036"	0.036"	0.036"	0.017"	0.017"	0.023"	0.034"
0.023"	0.033"	0.033"	0.033"	----	----	----	0.023"
----	0.023"	0.023"	0.023"	----	----	----	----
----	0.019"	0.019"	0.019"	----	----	----	----
3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	2800 (19.3 MPa)	2800 (19.3 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)
2.6 HP DuraLife Brushless HE DC	2.0 HP EXL-DC	2.0 HP EXL-DC	2.0 HP EXL-DC	0.5 HP, TEFC	0.5 HP, TEFC	7/8 HP PMDC	2.4 HP Infinity Plus Brushless DC
300' (90 m)	400' (120 m)	400' (120 m)	400' (120 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)
300' (90 m)	200' (60 m)	200' (60 m)	200' (60 m)	200' (60 m)	200' (60 m)	200' (60 m)	300' (90 m)
----	----	----	----	----	----	----	----
15' (5 m)	15' (5 m)	15' (5 m)	15' (5 m)	6' (2 m)	6' (2 m)	9' (3 m)	15' (5 m)
12" Pneumatic	----	----	----	----	----	10" Semi-Pneumatic	12" Pneumatic
10" Pneumatic	10" Pneumatic	10" Pneumatic	10" Pneumatic	----	----	----	----
----	----	----	----	56	27	90	----
107	148	164	165	56	----	----	95
LX-80 ^{II}	S-3	S-5	S-5	3600 AA Gun	G-10XL	3600 AA Gun	S-3
517	517	517	517	9/20 Brilliant Tip	412 Fine Finish Tip	415	427 and 531
1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50' Bonded Fluid/Air Hose, 5' Fluid Whip and 5' Air Whip	1/4" x 50' and 3/16" x 3' Whip	1/4" x 50' Bonded Fluid/Air Hose, 5' Fluid Whip and 5' Air Whip	3/8" x 50' and 1/4" x 50'
800-273	144-050	144-050	144-050	----	----	704-586	800-273
730-067	930-006	930-006	930-006	----	----	730-067	730-067
580-034	550-275	520-025	520-025	----	0296294	580-034	0502175



CONVENIENCE PROGRAM

KEEP ON WORKING

A SPARE FLUID SECTION KEEPS YOU ON THE JOB.

Not only do we deliver high quality sprayers, we are proud to back them up with the best and longest warranty in the industry.

Titan sprayers are built to last. We are so confident that our sprayers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

4-Year Manufacturer's Defect

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

Lifetime DuraLife Brushless HE and PMDC Brushless Motor Warranty

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

Limited Lifetime DCX Motor Warranty

If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

Gas Engine Warranty

5 year Subaru®, 3 year Honda® and 2 years all others.

2-Year Turbine Warranty

Lifetime Drive Train Warranty

If the drive train fails from normal usage for as long as you own the sprayer, we will replace the drive train at no cost to you.

35-Day Satisfaction Guarantee

If for any reason the sprayer does not perform up to your expectations within 35 days, the sprayer can be exchanged for the identical model or full credit towards the purchase of a Titan sprayer of larger size and value.

Express Parts Program

- Over 650 Authorized Service Centers nationwide
- The most common repair parts are guaranteed to be in stock 100% of the time
- If for any reason your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

Get up to **80% OFF** a spare fluid section or choose to get a **FREE REPACKING KIT**.

LEVEL 1

Impact® 340, 400

\$109⁹⁵
USD
(\$149.08 CAD)

LEVEL 2

Impact® 440, 540, 640, 740, 840;
MF 440; GPX 85; PowrLiner™ 2850

\$224⁹⁵
USD
(\$305.02 CAD)

LEVEL 3

Impact® 1040, 1140; GPX 130

\$249⁹⁵
USD
(\$338.92 CAD)

LEVEL 4

GPX 165, 220; PowrTwin™ 4900 Plus,
6900 Plus, 8900 Plus, 12000 Plus;
PowrLiner™ 4955, 6955, 8955, 1200 SF

\$324⁹⁵
USD
(\$440.61 CAD)

LEVEL 5

AirCoat® 423, 620; PowrCoat™ 630

\$399⁹⁵
USD
(\$542.31 CAD)

LEVEL 6

PowrCoat™ 730, 745, 940, 960, 975,
1045, 1064, 1072; Hydra™ Pro IV

\$599⁹⁵
USD
(\$813.49 CAD)

THE IMPACT® 440, 540 and 640 FLUID SECTIONS INCLUDE \$375 in ADDED FEATURES

MANIFOLD FILTER HOUSING | PRESSURE TRANSDUCER | SUREFLO™ PUSHER VALVE | PRIME SPRAY VALVE

The Impact® 440, 540 and 640 convenience program fluid section comes packed with features that the competition cannot offer.

*Tax not included. Prices guaranteed through January 31, 2017.

04/16 SL40135 JB71244A



**TITAN
POWERHOUSE**
THE PROFESSIONAL'S EDGE
Plug into TitanPowerHouse.com



CONNECTOR APP
Available for download
theconnectorapp.com

Call Technical Services at
1-800-526-5362
for complete warranty information.

All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.

Titan Tool | 1770 Fernbrook Lane | Minneapolis, MN 55447 | 800-526-5362 Phone | 800-528-4826 Fax | titantool.com